









Benell'

IN THE DIFFERENCE BETWEEN LOOKING

AND BEING ABLE TO WATCH

LIES THE ABILITY TO GO FURTHER

AND REALLY UNDERSTAND

WHAT WE ARE LOOKING AT.

Through observant eyes, we see the world around us, perceive its stimuli, reacting and engaging, transforming them into innovations.

That is how Lupo was conceived, a unique bolt action rifle, which embodies all qualities of the wolf, the predator by definition, and opens up a new frontier.







L.O.P. spacers

The standard length of pull can be

adjusted from 350 mm to 385 mm for

quicker, more instinctive shouldering.

Combtech

and vibrations.

Reduced cheek impact

Primary extraction on steel

Ambidextrous safety

smoothness, easy to operate

keeping the right alignment

Excellent ergonomics and

on the target.

Longer durability.

Picatinny rails

3+2*+3 drilled holes for strong and rigid rail attachment for a consistent precision, even when the scope is frequently disassembled (*tapped).

Easy loading

Wider top cartridge loading.

LUPO

Steel barreled action and 3-locking lug system

More rigidity for better precision.

More safety and 60-degree aperture,
for quicker and easier repetition of the shot.

AirTouch grip

The AirTouch checkering of the grip ensures that hunter's hand can breathe naturally for a superior grip.

SUB-M.O.A. Crio free-floating barrel

Every Benelli Lupo is accuracy-tested to prove it performs SUB-M.O.A. with 3-shot group for excellent ballistic performance, using quality factory ammunition.

Muzzle thread

Detachable magazine

Fast loading and unloading.
Double stack magazine, to perfectly align the cartridge to the chamber.
More compact with greater capacity and without protrusion.

Aluminium chassis

Greater stiffness between chassis and barreled action, consistency and accuracy.

Integrated trigger guard

Optimal accessibility to trigger, major rigidity of the rifle for utmost accuracy.

Progressive Comfort

Less recoil, greater control and maximum target acquisition speed for repeated rapid firing, staying accurately on target.

Great and easy drop, cast, comb and trigger reach adjustment. Fitting means better control and improved accuracy, thanks to maximum modularity.

Perfect Fitting

Adjustable trigger pull

For maximum control by the hunter.



ACCURACY INTEGRATED SYSTEM

RIGID UPPER RECEIVER

Rigid steel heat treated for better accuracy, safe and durable headspace. Fast and precise "ice on ice" bolt movement fluidity, faster cartridge introduction.

BE.S.T.

CRIO AND FREE-FLOATING BARREL

Industrial cryogenic treatment, applied on the free-floating barrel, further enhances shooting accuracy.

BE.S.T.

Benelli Surface Treatment is on barrel, bolt, bolt handle and upper receiver. This exclusive full protection treatment gives resistance to corrosion, wearing, utmost endurance of materials and precious beauty.



RIGID ALUMINIUM CHASSIS

Rigid aluminium lower receiver offers better accuracy, combined with a slender and neat design.




ABSOLUTE REPEATABLE SUB-M.O.A. ACCURACY

In all weather conditions.



MODULARITY

COMFORTABLE AND ERGONOMIC, LUPO FOLLOWS YOUR BODY CONFIGURATION





Exclusive, easy, fast and **SELFMADE** PRODUCT PERSONALIZATION.

Benelli Lupo follows hunter's cheek configuration.





LOP 360 MM

14,2"

14,3"

14,65"

13,8" STD





LOP 375 MM

14,75"





LOP 385 MM 15,2"



6 different L.O.P. configurations

Recoil reduction gives better stability, faster second target acquisition, grip profile optimized for hunters.




Trigger reach spacer +1 mm

36 available positions

Combining 4 drop shims with 3 cast positions (neutral, right, left) and 3 combs, Lupo offers the utmost selfmade personalization to follow any hunter's build.



Drop and cast shim kit





BE.S.T.

LUPO

Benelli Bolt System

Integrated guard with adjustable trigger

Natural hand position on guard, optimal and easy accessibility to trigger adjustment.















.243 WIN, 6.5 CREED, .270 WIN, .308 WIN, .30-06 SPRG, .300 WIN MAG		STOCK & FOREN
LOP (+/- 2 mm)	350 (STD) up to 385	RECOIL SYSTEM
LENGTH (mm)	1082 (.243 WIN, .270 WIN, .308 WIN, .30-06 SPRG); 1133 (6.5 CREED, .300 WIN MAG)	MAGAZINE
VEIGHT (+/- 100 g) 3180 (.243 WIN, .270 WIN, .308 WIN, .30-06 SPRG); 3230 (6.5 CREED, .300 WIN MAG)		DROP AT HEEL (
MAGAZINE CAPACITY	GAZINE CAPACITY 5 (.243 WIN, 6.5 CREED, .270 WIN, .30-06 SPRG, .308 WIN); 4 (.300 WIN MAG)	
TWIST RATE (")	8 (6.5 CREED); 10 (.243 WIN, .270 WIN); 11 (.308 WIN, .30-06 SPRG, .300 WIN MAG)	TRIGGER REACH
BARREL (cm/")	56/22 (.243 WIN, .270 WIN, .308 WIN, .30-06 SPRG); 61/24 (6.5 CREED, .300 WIN MAG)	MUZZLE THREAL
BARREL TREATMENT	CRIO and BE.S.T. glossy	SAFETY
BOLT	3 locking lugs; fluted; BE.S.T. glossy	TRIGGER PULL
CHASSIS	Aluminium alloy	
ACTION Medium; Steel with BE.S.T. Treatment		RAIL

STOCK & FOREND	Black Techno-polymer
RECOIL SYSTEM	Progressive Comfort
MAGAZINE	Double stack detachable (5 rounds in all calibers, but .300 WIN MAG with 4 rounds)
DROP AT HEEL (+/- 2 mm)	40; 45; 50 (STD); 55 using the medium-size scope on the rifle
DROP AT COMB (+/- 2 mm)	43

TRIGGER REACH ADJ	+ 1 mm variation using spacer
MUZZLE THREAD	M14 x 1
SAFETY	Translating ambidextrous 2 positions + bolt locking lever
TRIGGER PULL	Adjustable from 9.99 N to 20 N

TRIGGER PULL	Adjustable from 9.99 N to 20 N
	Interchangeable Comptech: flat

СОМВ	Interchangeable Combtech: flat (STD), raised, extra high
RAIL	Two-piece Picatinny rails mounted



Eco-Friendly packaging

Box includes: owner's manual, trigger guard key, SUB-M.O.A. certificate, shim kit and trigger reach spacers, 2 L.O.P. spacers, Ben oil, sling swivels, BE.S.T. certificate, warranty.







Benelli Armi S.p.A.

Via della Stazione, 50 61029 Urbino (PU) - Italy ph. +39 0722 3071 info@benelli.it

QUALITY ASSURANCE SYSTEM CERTIFIED BY THE ITALIAN MINISTRY OF DEFENCE, GENERAL DEPARTMENT OF LAND WEAPONS, ACCORDING TO LAW.

been manufactured by an ISO 9001, ISO 14001 and ISO 45001 certifled organization.





